

OFC-1200 Offset Dish



Parameter	Unit	Numerical	Reflector Material:	
Effective Reflector Size	mm	1190x1298	Glass Epoxy Metallised Composite (resistant to salt, air pollution)	
Operating Frequency	GHz	10.7÷12.8		
Gain (for frequency in GHz)	10,7	dBi	40,9	Colour: light grey (RAL 7047)
	11,3	dBi	41,1	Package Size (outside dimensions): 1÷4 units in Cardboard Box 1340x170x1240 mm
	12,6	dBi	42,1	
3dB Beamwidth (for frequency in GHz)	10,7	deg	1,6	Compatible Accessories: OFZ-1200 Elevation over Azimuth Mount OFM-1200 Multifeed
	11,3	deg	1,5	Wind Loading: Operational 80 km/h Survival 200km/h
	12,6	deg	1,4	
Focal Length	mm	700,0	Operating Temperature: Operational -40 ÷ 60 Survival -50 ÷ 80	
Offset Angle	deg	23,5		
Feed Clamp Diameter	mm	40,0		
Weight Reflector	kg	6,7/8,5		
Weight Antenna include Mount	Az-El	kg	8,5/10,3	



LAMINAS Spółka z o.o.

38-430 MIEJSCE PIĄSTOWE ul. Dworska 50

Tel./fax: +48 134 362 067

Internet: www.laminas.com.pl

e-mail: laminas@laminas.com.pl